



# Edhya LYTE

Powdered Equine dietetic feed supplement

## ELECTROLYTES - RECOVERY SUPPORT

Edhya LYTE compensates the loss of electrolytes when substantial perspiration occurs.

Edhya LYTE also contains methionine, known for its cholagogic action, favoring the use of lipids and dissolution of liver fats.

Vitamin C and E input helps muscular recovery.

### PURPOSE OF USE

- Loss of electrolytes
- Effort recovery
- Transport
- Intensive effort
- High temperatures

**FEEDING INSTRUCTIONS** - Administer directly in daily feed or drinking water.

- **Adult horses:** 1 dose (40 g) after effort, for 1 to 3 days

**Imperative:** ensure the horse drinks water after each effort to control salt concentration in the organism and allow assimilation (a supply on a non-hydrated horse would be pointless)

Before use or before extending the period of use, it is recommended to seek the advice of your veterinary practice.



**ELIMINATION  
& RECOVERY**



V181220

### COMPOSITION

Dextrose monohydrate, Lactose, Fructo-oligosaccharides, Sodium chloride, Potassium chloride, Sodium bicarbonate, Sodium citrate, Sorbitol, Magnesium chloride

### ANALYTICAL CONSTITUENTS

Crude Protein	0,3 %
Fibre	0,5 %
Ash	9,5 %
Chlorine	5,8 %
Sodium	4,35 %
Potassium	2,75 %
Magnesium	0,15 %
Calcium	0,08%

### ADDITIVES (Per kg)

<b>Amino Acids</b>	
DL-Methionine (3c301)	14 g

### Vitamins

Vitamin C (3a300)	5500 mg
Vitamin E (3a700)	1500 mg
Vitamin B1 (3a820)	500 mg

Vitamin B3 (3a314)	750 mg
Vitamin B5 (3a841)	850 mg

### Preservatives

Potassium Sorbate (E202)	5 g
--------------------------	-----

### Anti-agglomerate agents

Colloidal silica (E551b)	5 g
--------------------------	-----

### Flavouring

Glycine	5 g
---------	-----

### STORAGE

Store in a cool dry place away from direct sunlight.

Close tightly after use. Use rapidly after opening.

Use rapidly after opening.

### PACKAGING

1 kg, 4 kg and 9 kg buckets

*This is not a veterinary medicine which is subject to authorisation by HPRA & IMB*

